

Keskiler ve ekiler

Chisels and Hammers

5

Iskarpelalar
Keskiler
Zimbalar
ekiler
Keserler

Chisels
Punches
Hammers
Adzes



5010

Iskarpela (Düz)
Wood Chisel



Özel alaşımli çelik, Uç indüksiyonda sertleştirilmiş, PP Saplı
Special steel, induction hardened tips, PP Handle


KOD CODE	a mm	L mm	L1 mm	g	TL/Ad.
5010 23 0006	6	273	153	115	20.94
5010 23 0008	8	273	153	125	22.41
5010 23 0010	10	273	153	135	23.66
5010 23 0012	12	273	153	135	26.00
5010 23 0014	14	273	153	145	26.91
5010 23 0016	16	273	153	150	28.77
5010 23 0018	18	273	153	160	31.22
5010 23 0020	20	273	153	170	34.69
5010 23 0022	22	273	153	190	37.58
5010 23 0024	24	273	153	195	40.63
5010 23 0026	26	273	153	200	42.10
5010 23 0028	28	273	153	200	43.54
5010 23 0030	30	275	155	205	44.94

5010

Iskarpela Takım (6 parça)
Wood Chisel Set (6 Pcs)




KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
5010 00 8106	10 - 12 - 14 16 - 18 - 20	985	6 171.25



5500

Düz Keski
Flat Cold Chisel

TS 492 • DIN 6453




Özel alaşımli çelik, Krom kaplı
Special steel, Chrom plated

KOD CODE	L mm	a mm	g	TL/Ad.
5500 23 0100	100	17	75	10.06
5500 23 0125	125	19	110	13.23
5500 23 0150	150	21	180	14.13
5500 23 0175	175	24	245	15.84
5500 23 0200	200	27	340	17.39
5500 23 0250	250	30	525	21.67
5500 23 0300	300	30	635	25.53

5500

Düz Keski (Kalkan İzoleli)
Flat Cold Chisel (With Safety Handle)

TS 492 • DIN 6453




Özel alaşımli çelik, Krom kaplı
Special steel, Chrom plated

KOD CODE	L mm	a mm	g	TL/Ad.
5500 23 1250	250	30	700	32.63
5500 23 1300	300	30	790	36.81

5510

Tesviyeci Düz Keski
Flat Cold Chisel Octagonal

TS 492 • DIN 6453




Krom vanadyum, Krom kaplı
Chrom vanadium, Chrom plated

KOD CODE	L mm	a mm	mm	g	TL/Ad.
5510 23 0125	125	10	10	75	16.62
5510 23 0150	150	14	12	125	17.67

5520

Tırnak Keski Cross Cut Chisel

TSEK




Krom vanadyum, Krom kaplı
Chrom vanadium, Chrom plated

KOD CODE	L mm	a mm	mm	g	TL/Ad.
5520 23 0125	125	5	10	70	10 18.61
5520 23 0150	150	6	12	110	10 20.18

5540

Nokta Zimba Center Punch

TS 2338 • DIN 7250



Krom vanadyum, Elektrostatik boyanmış
Chrom vanadium, Electrostatically painted

KOD CODE	L mm	L inch	ØD mm	mm	g	TL/Ad.
5540 24 4120	120	4 3/4"	4	10	65	10 10.95
5540 24 5120	120	4 3/4"	5	12	95	10 12.30
5540 24 5150	150	6"	5	12	115	10 13.07
5540 24 0412	120	4 3/4"	4	10	65	10 11.34

5545

Konik Pim Zimba Drift Punch

TS 2338 • DIN 6458

TSE



Krom vanadyum, Elektrostatik boyanmış
Chrom vanadium, Electrostatically painted


KOD CODE	L mm	L inch	ØD mm	mm	g	TL/Ad.
5545 24 0002	120	4 3/4"	2	12	90	10 11.00
5545 24 0003	120	4 3/4"	3	12	90	10 11.95
5545 24 0004	120	4 3/4"	4	12	90	10 13.45
5545 24 0005	120	4 3/4"	5	12	95	10 13.74
5545 24 0006	120	4 3/4"	6	12	95	10 20.31
5545 24 0007	120	6"	7	12	100	10 21.14
5545 24 0008	150	6"	8	12	125	10 21.98
5545 24 0009	150	6"	9	12	130	10 22.46
5545 24 0010	150	6"	10	12	130	10 22.93
5545 24 0012	150	6"	12	14	180	10 23.94
5545 24 0103	120	4 3/4"	3	12	90	10 12.51

5550

Düz Pim Zimba Split Pin Punch

TS 2338 • DIN 6450

TSE



Krom vanadyum, Elektrostatik boyanmış
Chrom vanadium, Electrostatically painted

KOD CODE	L mm	L inch	ØD mm	mm	g	TL/Ad.
5550 24 0002	150	6"	2	10	70	5 12.39
5550 24 0003	150	6"	3	10	65	5 12.55
5550 24 0004	150	6"	4	10	65	5 12.55
5550 24 0005	150	6"	5	10	65	5 12.58
5550 24 0006	150	6"	6	10	70	5 13.65
5550 24 0007	150	6"	7	12	100	5 14.25
5550 24 0008	150	6"	8	12	105	5 15.24
5550 24 0009	150	6"	9	12	110	5 15.44
5550 24 0010	150	6"	10	12	120	5 15.59
5550 24 0105	150	6"	5	10	65	5 12.75

5600

Keski Zimba Takımı Chisel And Punch Set




KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
5600 00 6106	125 tevsiyecii düz keski	865	6 89.50
	150 tevsiyecii düz keski		
	125 tırnak keski		
	4x120 nokta zimba		
	5x150 düz pim zimba		
	3x120 konik pim zimba		
	125 Flat Cold Chisel Octagonal		
	150 Flat Cold Chisel Octagonal		
	125 Cross Cut Chisel		
	4x120 Center Punch		
	5x150 Split Pin Punch		
	3x120 Drift Punch		

5700
Kayış Zimba
Belt Punch

DIN 7200

TSEK

 3-20mm
 21-32mm

 Krom vanadyum, Elektrostatik boyanmış
 Chrom vanadium, Electrostatically painted

KOD CODE	ØD mm	L mm	g	TL/Ad.	
5700 24 0003	3	105	35	10	10.22
5700 24 0004	4	105	40	10	10.71
5700 24 0005	5	110	50	10	11.66
5700 24 0006	6	110	60	10	11.85
5700 24 0007	7	115	75	10	13.06
5700 24 0008	8	115	90	10	13.90
5700 24 0009	9	120	100	10	15.51
5700 24 0010	10	120	110	10	16.54
5700 24 0011	11	125	130	5	17.76
5700 24 0012	12	125	165	5	21.30
5700 24 0013	13	130	165	5	22.41
5700 24 0014	14	130	180	5	24.63
5700 24 0015	15	135	245	5	28.26
5700 24 0016	16	135	300	5	30.94
5700 24 0017	17	140	365	5	33.85
5700 24 0018	18	140	380	5	36.94
5700 24 0019	19	145	405	5	40.18
5700 24 0020	20	145	450	5	42.78
5700 24 0021	21	150	250	5	43.15
5700 24 0022	22	150	260	5	45.27
5700 24 0023	23	160	305	5	48.52
5700 24 0024	24	160	320	5	51.67
5700 24 0025	25	170	365	5	54.38
5700 24 0026	26	170	355	5	57.32
5700 24 0027	27	180	415	5	60.42
5700 24 0028	28	180	420	5	64.22
5700 24 0029	29	190	465	5	65.15
5700 24 0030	30	190	475	5	66.07
5700 24 0032	32	190	500	5	69.86


5700
Kayış Zimba Takımı
Belt Punch Set


KOD CODE	İÇERİK CONTENTS	g	TL/Ad.	
5700 00 2108	3 - 4 - 5 - 6 - 7 - 8 - 9 - 10	555	8	103.45
5700 00 2110	3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	845	10	142.51
5700 00 2112	3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14	1180	12	189.55

5800
Tesviyeci Çekiç
Machinist's Hammer

TS 5 • DIN 1041

TSE


 Özel alaşımlı çelik, İndüksiyonda sertleştirilmiş, Elektrostatik boyanmış
 Special steel, Induction hardened, Electrostatically painted

KOD CODE	L mm	L1 mm	g	g	TL/Ad.	
5800 25 0100	260	82	100	160	10	13.32
5800 25 0200	280	95	200	260	10	17.98
5800 25 0300	300	105	300	395	10	21.92
5800 25 0500	320	118	500	600	5	27.71
5800 25 0800	350	130	800	950	5	-----
5800 25 1000	360	135	1000	1095	5	42.56
5800 25 1500	380	145	1500	1630	5	57.87
5800 25 2000	400	155	2000	2100	5	71.20

5800
Çekiç Sapı (Kamalı)
Hammer Handle (With Pin)

TS 5 • DIN 5111



KOD CODE	L mm	g	TL/Ad.	
5800 25 0001	260	60	10	5.85
5800 25 0002	280	60	10	5.92
5800 25 0003	300	95	10	6.60
5800 25 0005	320	100	10	7.46
5800 25 0008	350	145	10	-----
5800 25 0010	360	165	10	9.39
5800 25 0015	380	185	10	10.84
5800 25 0020	400	205	10	11.73

5820
Çamcı Çekici
Glaziers Hammer

TSEK


 Özel alaşımlı çelik, İndüksiyonda sertleştirilmiş, Elektrostatik boyanmış
 Special steel, Induction hardened, Electrostatically painted

KOD CODE	L mm	L1 mm	g	g	TL/Ad.	
5820 25 0125	300	110	125	160	10	19.57

5820


Camcı Çekici Sapı (Kamalı)
Glaziers Hammer Handle (With Pin)



KOD CODE	L mm	g		TL/Ad.
5820 25 0012	300	35	10	5.85

5850

Plastik Çekiç
Plastic Hammer



TS 5




Darbeye dayanıklı selüloz asetat başlık, Kolay değiştirilebilir
Made from cellulose acetate, Durable and easily changeable heads

KOD CODE	L mm	ØD mm	H mm	g		TL/Ad.
5850 25 0030	300	30	100	345	5	33.26
5850 25 0040	320	40	110	645	5	41.03
5850 25 0050	350	50	120	1015	5	51.29

5850


Başlık
Head



KOD CODE	ØD mm	g		TL/Ad.
5850 25 0130	30	35	10	7.21
5850 25 0140	40	70	10	10.36
5850 25 0150	50	120	10	14.89

5870


Lastik Çekiç
Rubber Hammer



KOD CODE	L mm	Ød mm	h mm	g	g		TL/Ad.
5870 25 0400	300	47	104	400	610	5	34.52

6400

Keser
Adze




Özel alaşımli çelik, İndüksiyonda sertleştirilmiş,
Elektrostatik boyanmış, PVC ağız koruyucu
Special steel, Induction hardened, Electrostatically painted,
PVC cutting edge protector

KOD CODE	L mm	h mm	g	g		TL/Ad.
6400 25 0600	400	125	400	550	5	43.45

6401

Usta Keseri
Master Adze



Özel alaşımli çelik, İndüksiyonda sertleştirilmiş,
Elektrostatik boyanmış, PVC ağız koruyucu
Special steel, Induction hardened, Electrostatically painted,
PVC cutting edge protector

KOD CODE	L mm	h mm	g	g		TL/Ad.
6401 25 0600	400	125	400	540	5	43.45



5